INDEX TO AUTHORS.

A

Anderson, William E., and **Mendel, Lafayette B.** The relation of diet to the quality of fat produced in the animal body, 729

B

Benedict, Stanley R. The determination of blood sugar. II, 457

Bennett, Helen B. See SHOHL and BENNETT, 633

Bills, Charles E., Honeywell, Edna M., and **MacNair, Walter A.** Antiricketic substances. VII. Biochemical and spectroscopic studies on purified cholesterol, 251

Boggs, H. M. See SURE, 659, 673

Bolliger, Adolph. The influence of the purine diuretics on inorganic phosphates of blood and urine, 797

Boothby, Walter M. See DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY, 391, 407

Buell, Mary V., and **Perkins, Marie E.** Adenine nucleotide content of blood with a micro analytical method for its determination, 95

Bunney, W. Edward, and **Rose, William C.** Growth upon diets practically devoid of arginine, with some observations upon the relation of glutamic and aspartic acids to nutrition, 521

Burr, George O. See EVANS and BURR, 263, 273

C

Cajori, F. A., and **Pemberton, Ralph.** The chemical composition of synovial fluid in cases of joint effusion, 471

Chaikoff, I. L., and **Weber, J. J.** The formation of sugar from fatty acids in the depancreatized dog injected with epinephrine, 813

Clark, E. P. Studies on gossypol. II. Concerning the nature of Carruth's D gossypol, 229

Conant, James B., and **Scott, Norman D.** A spectrophotometric study of certain equilibria involving the oxidation of hemoglobin to methemoglobin, 207

—, —, and **Douglass, W. F.** An improved method of determining methemoglobin, 223

Coolidge, Thomas. See REDFIELD, COOLIDGE, and MONTGOMERY, 197

—. See REDFIELD, COOLIDGE, and SHOTTS, 185

XUM

Cori, Carl F., and **Cori, Gerty T.** The fate of sugar in the animal body. VIII. The influence of insulin on the utilization of glucose, fructose, and dihydroxyacetone, 755

Cori, Gerty T. See CORI and CORI, 755

Corley, Ralph C. Factors in the metabolism of lactose. III. Galactose tolerance in the rabbit. The effect of the simultaneous enteral administration of dextrose and levulose on galactose tolerance in the rabbit, 31

—. Pentose metabolism. II. Factors affecting the disposal of *l*-arabinose and *d*-xylose in the rabbit, 23

Cullen, Glenn E., and **Earle, Imogene P.** On the determination of the pH of the blood. I. The accuracy of the quinhydrone electrode for determining the pH of blood plasma or serum, 565

—. See EARLE and CULLEN, 583

D

Davenport, H. A., and **Davenport, Helen K.** The lactic acid content of resting mammalian muscle, 651

Davenport, Helen K. See DAVENPORT and DAVENPORT, 651

Deuel, Harry J., Jr., Sandiford, Irene, Sandiford, Kathleen, and **Boothby, Walter M.** The effect of thyroxin on the respiratory and nitrogen metabolism of a normal subject following prolonged nitrogen-free diet, 407

Deuel, Harry J., Jr., Sandiford, Irene, Sandiford, Kathleen, and **Boothby, Walter M.** A study of the nitrogen minimum. The effect of sixty-three days of a protein-free diet on the nitrogen partition products in the urine and on the heat production, 391

Dill, D. B. The calculation of cell volume changes as a function of hydrogen ion concentration, 543

Dimick, Alice. See UNDERHILL and DIMICK, 163

Douglass, W. F. See CONANT, SCOTT, and DOUGLASS, 223

E

Earle, Imogene P., and **Cullen, Glenn E.** On the determination of the pH of the blood. II. A comparison of the colorimetric method with the hydrogen and quinhydrone electrodes, 583

—. See CULLEN and EARLE, 565

Evans, Herbert M., and **Burr, George O.** Development of paralysis in the suckling young of mothers deprived of vitamin E, 273

— and —. On the amount of vitamin B required during lactation, 263

F

Finch, Myron W. See PUCHER and FINCH, 331

Friedemann, Theodore E. On the determination of lactic acid in sugar solutions decomposed by alkali, 75

G

Gaebler, Oliver Henry, and **Keltch, Anna K.** On the nature of blood creatinine, 337

Gallup, Willis D. The digestibility of the proteins of some cottonseed products, 43

Grayzel, David M., and **Miller, Edgar G., Jr.** The pH of the contents of the gastrointestinal tract in dogs, in relation to diet and rickets, 423

Guerrant, N. B. See SALMON, GUERRANT, and HAYS, 487

H

Haag, J. R., and **Palmer, Leroy S.** The effect of variations in the proportions of calcium, magnesium, and phosphorus contained in the diet, 367

Hall, F. G. Blood concentration in marine fishes, 623

Haller, H. L. See LEVENE and HALLER, 415

Hand, David B. See SUMNER and HAND, 149

Hanke, Milton T. See SEIBERT and HANKE, 535

Hart, E. B. See TITUS, SOMMER, and HART, 237

Hart, Merrill C., Tourtellotte, Dee, and **Heyl, Frederick W.** The effect of irradiation and cod liver oil on the calcium balance in the adult human, 143

Hays, I. M. See SALMON, GUERRANT, and HAYS, 487

Heller, V. G. Vitamin synthesis in plants as affected by light source, 499

Heyl, Frederick W. See HART, TOURTELLOTTE, and HEYL, 143

Honeywell, Edna M. See BILLS, HONEYWELL, and MACNAIR, 251

Huntsinger, Mildred E. See MCCLURE and HUNTSINGER, 1

Huston, Ralph C., and **Lightbody, Howard D.** Some biochemical relations of phenols. I. Hydroquinone, 547

J

Johlin, J. M. The effect of carbon dioxide equilibration upon the surface tension of serum, 559

K

Kastler, Arthur O. The influence of phlorhizin upon inorganic metabolism, 643

Keltch, Anna K. See GAEBLER and KELTCH, 337

Kennedy, Cornelia, and **Palmer, Leroy S.** The fundamental food requirements for the growth of the rat. III. Yeast and yeast fractions as a supplement to synthetic rations, 591

— and —. IV. Coprophagy as a factor in the nutrition of the rat, 607

Kirk, P. L., and **Schmidt, Carl L. A.** Studies on the behavior of sodium and barium amalgam electrodes in solutions of certain amphoteric substances, 115

Knudson, Arthur. See RANDLES and KNUDSON, 89
Kruger, J. H. See MITCHELL and KRUGER, 55

L

Leavenworth, Charles S. See VICKERY and LEAVENWORTH, 437, 701, 707
van Leersum, E. C. Vitamin A deficiency and urolithiasis, 137
Levene, P. A., and **Haller, H. L.** Configurational relationships of 3-hydroxyvaleric and lactic acids and of ethylmethyl and ethylpropyl carbinols, 415
— and **Meyer, G. M.** On the pentabenzoates of glucose, 513
— and —. The structure of tetramethyl-γ-methylmannoside, 809
— and **Steiger, Robert E.** Studies on racemization. VI. Action of alkali on peptides and ketopiperazines, 299
Lightbody, Howard D. See HUSTON and LIGHTBODY, 547
Ling, Schmorl M. The determination of cholesterol in small amounts of blood, 361

M

MacNair, Walter A. See BILLS, HONEYWELL, and MACNAIR, 251
McClellan, Walter S. The quantitative estimation of dihydroxyacetone in blood and urine, 481
McClure, C. W., and **Huntsinger, Mildred E.** Studies in fat metabolism. I. The influence on blood lipids of single foodstuffs, 1
McCollum, E. V. See TANGE and MCCOLLUM, 445
Mendel, Lafayette B. See ANDERSON and MENDEL, 729
Meyer, G. M. See LEVENE and MEYER, 513, 809
Miller, Edgar G., Jr. See GRAYZEL and MILLER, 423
Mitchell, H. H., and **Kruger, J. H.** The effect of muscular work upon the endogenous catabolism of the tissues, 55
Montgomery, Hugh. See REDFIELD, COOLIDGE, and MONTGOMERY, 197

O

Osterberg, Arnold E. A modification of the electrolytic Gutzeit apparatus for the estimation of arsenic in biological material, 19
— and **Schmidt, Edna V.** The influence of sodium fluoride and thymol on the determination of urea by the urease method, 749

P

Palmer, Leroy S. See HAAG and PALMER, 367
—. See KENNEDY and PALMER, 591, 607
Pemberton, Ralph. See CAJORI and PEMBERTON, 471
Perkins, Marie E. See BUELL and PERKINS, 95

Pucher, George W. A study of the changes occurring in the blood and urine of puppies deprived of food and water, 319
— and **Finch, Myron W.** The comparative reduction values of carbohydrates by the Hagedorn-Jensen, Benedict-Myers, and Folin-Wu methods, 331

R

Randles, F. S., and **Knudson, Arthur.** Studies on cholesterol. III. The relation of the suprarenal gland and the spleen to cholesterol metabolism, 89
Redfield, Alfred C., Coolidge, Thomas, and **Montgomery, Hugh.** The respiratory proteins of the blood. II. The combining ratio of oxygen and copper in some bloods containing hemocyanin, 197
—, —, and **Shotts, Mary A.** The respiratory proteins of the blood. I. The copper content and the minimal molecular weight of the hemocyanin of *Limulus polyphemus*, 185
Rose, William C. See Bunney and Rose, 521

S

Salmon, W. D., Guerrant, N. B., and **Hays, I. M.** On the existence of two active factors in the vitamin B complex. II, 487
Sandiford, Irene. See Deuel, Sandiford, Sandiford, and Boothby, 391, 407
Sandiford, Kathleen. See Deuel, Sandiford, Sandiford, and Boothby, 391, 407
Schmidt, Carl L. A. See Kirk and Schmidt, 115
Schmidt, Edna V. See Osterberg and Schmidt, 749
Scott, Norman D. See Conant and Scott, 207
—. See Conant, Scott, and Douglass, 223
Seibert, Florence B., and **Hanke, Milton T.** Electrodialysis of tuberculin. VIII, 535
Shohl, Alfred T., and **Bennett, Helen B.** Rickets in dogs. Metabolism of calcium and phosphorus, 633
Shotts, Mary A. See Redfield, Coolidge, and Shotts, 185
Simpson, George Eric, and **Wells, Arthur H.** The effect of overbreathing and of breathing relatively high concentrations of carbon dioxide on the urinary excretion of water and chlorides, 171
Sommer, H. H. See Titus, Sommer, and Hart, 237
Steiger, Robert E. See Levene and Steiger, 299
Stilz, Eleanor. See Cajori and Pemberton, 471
Stuart, E. H. See Sure, 673, 685
Sugimoto, Koichi. Iodine in gorgonian corals, 723
Sumner, James B., and **Hand, David B.** Crystalline urease. II, 149

Sure, Barnett. Dietary requirements for fertility and lactation. XIII. Storage of fat-soluble vitamins for lactation, with some observations on the cod liver oil requirements of nursing young, 659
—. XIV. A quantitative biological method for the study of vitamin B requirements for lactation, 673
—. XV. The inefficiency of the lactating mother (*Mus norvegicus albinus*) in secreting vitamin B in the milk, and the relation of this phenomenon to infant mortality (detailed report), 685

T

Tange, Ume, and **McCollum, E. V.** The allophanates of certain sterols, 445
Theis, Edwin R. The lipid distribution in normal and abnormal liver tissues. I. Beef livers, 107
Titus, R. W., Sommer, H. H., and **Hart, E. B.** The nature of the protein surrounding the fat globules in milk, 237
Tourtellotte, Dee. See HART, TOURTELLOTTE, and HEYL, 143

U

Underhill, Frank P., and **Dimick, Alice.** The production of hyperglycemia by subcutaneous injections of sodium arsenite in the rabbit, 163

V

Vickery, Hubert Bradford, and **Leavenworth, Charles S.** Modifications of the method for the determination of the basic amino acids of proteins. The bases of edestin, 707
— and —. A note on the crystallization of free arginine and histidine, 701
— and —. A note on the crystallization of free lysine, 437

W

Walker, Dorothy J. See SURE, 659, 673, 685
Weber, J. J. See CHAIKOFF and WEBER, 813
Wells, Arthur H. See SIMPSON and WELLS, 171

INDEX TO SUBJECTS.

A

Adenine:
Nucleotide, blood content, micro method for determination (BUELL and PERKINS) 95

Alkali:
Ketopiperazines, action (LEVENE and STEIGER) 299
Peptides, action (LEVENE and STEIGER) 299
Sugar solutions decomposed by, lactic acid determination (FRIEDEMANN) 75

Allophanates:
Sterols (TANGE and McCOLLUM) 445

Amalgam:
Electrodes, barium and sodium, in solutions of amphoteric substances (KIRK and SCHMIDT) 115

Amino acid(s):
Basic, protein, determination (VICKERY and LEAVENWORTH) 707
Protein, basic, determination (VICKERY and LEAVENWORTH) 707

Amphoteric substances:
Solutions, amalgam electrodes, barium and sodium, behavior in (KIRK and SCHMIDT) 115

Apparatus:
Gutzeit, electrolytic, modified, arsenic estimation in biological material (OSTERBERG) 19

***l*-Arabinose:**
Disposal, factors affecting (CORLEY) 23

Arginine:
Crystallization (VICKERY and LEAVENWORTH) 701
Diet devoid of, growth (BUNNEY and ROSE) 521
Growth on diet devoid of (BUNNEY and ROSE) 521

Arsenic:
Biological material, modified electrolytic Gutzeit apparatus for estimation (OSTERBERG) 19

Aspartic acid:
Nutrition, relation (BUNNEY and ROSE) 521

B

Barium:
Amalgam electrodes in solutions of amphoteric substances, behavior (KIRK and SCHMIDT) 115

Base:
Amino acids, basic, protein, determination (VICKERY and LEAVENWORTH) 707

Base—*continued:*
Edestin (VICKERY and LEAVENWORTH) 707
Protein, basic amino acids, determination (VICKERY and LEAVENWORTH) 707
Beef:
Liver, lipid distribution (THEIS) 107
Benedict-Myers:
Carbohydrate reduction, comparative values by Hagedorn-Jensen, Folin-Wu, and (PUCHER and FINCH) 331
Biochemistry:
Cholesterol, purified (BILLS, HONEYWELL, and MACNAIR) 251
Phenol relations. I (HUSTON and LIGHTBODY) 547
Biology:
Arsenic in biological material, estimation by modified electrolytic Gutzeit apparatus (OSTERBERG) 19
Lactation requirements of vitamin B, quantitative biological method (SURE) 673
Blood:
Adenine nucleotide content, micro method for determination (BUELL and PERKINS) 95
Cell volume changes, function of hydrogen ion concentration (DILL) 543
Cholesterol, small amounts (LING) 361
Concentration, marine fishes (HALL) 623
Blood—*continued:*
Copper and oxygen combining ratio, hemocyanin-containing (REDFIELD, COOLIDGE, and MONTGOMERY) 197
Creatinine, nature (GAEBLER and KELTCH) 337
Dihydroxyacetone, quantitative estimation (MCCLELLAN) 481
Fish, marine, concentration (HALL) 623
Food- and water-deprived puppies, changes (PUCHER) 319
Hemocyanin-containing, oxygen and copper combining ratio (REDFIELD, COOLIDGE, and MONTGOMERY) 197
Hydrogen ion determination. I (CULLEN and EARLE) 565
— — —. II (EARLE and CULLEN) 583
Lipids, foodstuff influence (MCCLURE and HUNTSINGER) 1
Oxygen and copper combining ratio, hemocyanin-containing (REDFIELD, COOLIDGE, and MONTGOMERY) 197
Phosphate, inorganic, purine diuretic influence (BOLLIGER) 797
Plasma, hydrogen ion determination, accuracy of quinhydrone electrode (CULLEN and EARLE) 565
Proteins, respiratory. I (REDFIELD, COOLIDGE, and SHOTTS) 185

Blood—*continued:*
Proteins, respiratory. II (REDFIELD, COOLIDGE, and MONTGOMERY) 197
Serum, hydrogen ion determination, accuracy of quinhydrone electrode (CULLEN and FARLE) 565
Sugar. II (BENEDICT) 457

Breathing:
Carbon dioxide in high concentrations, effect on urinary excretion of water and chlorides (SIMPSON and WELLS) 171
Overbreathing, effect on urinary excretion of water and chlorides (SIMPSON and WELLS) 171

C

Calcium:
Balance, cod liver oil effect (HART, TOURTELLOTTE, and HEYL) 143
—, irradiation effect (HART, TOURTELLOTTE, and HEYL) 143
Diet, variations in proportions of magnesium, phosphorus, and (HAAG and PALMER) 367
Metabolism in rickets (SHOHL and BENNETT) 633

Carbohydrate:
Reduction, comparative values by Hagedorn-Jensen, Benedict-Myers, and Folin-Wu methods (PUCHER and FINCH) 331

Carbon dioxide:
Equilibration, surface tension of serum, effect (JOHLIN) 559
Serum, equilibration, surface tension, effect (JOHLIN) 559
Urinary excretion of water and chlorides, effect of overbreathing and breathing high concentrations (SIMPSON and WELLS) 171

Catabolism:
Endogenous, tissue, muscular work, effect (MITCHELL and KRUGER) 55

Cell:
Blood, volume changes, function of hydrogen ion concentration (DILL) 543

Chlorides:
Urinary excretion, carbon dioxide overbreathing and breathing high concentrations, effect (SIMPSON and WELLS) 171

Cholesterol:
III. (RANDLES and KNUDSON) 89
Biochemical study (BILLS, HONEYWELL, and MACNAIR) 251
Blood in small amounts (LING) 361
Metabolism, spleen relation (RANDLES and KNUDSON) 89
—, suprarenal gland relation (RANDLES and KNUDSON) 89
Spectroscopic study (BILLS, HONEYWELL, and MACNAIR) 251

Cod liver oil:
Calcium balance, effect (Hart, Tourtellotte, and Heyl) 143
Nursing young, requirements (Sure) 659
Colorimetry:
Hydrogen and quinhydrone electrodes, comparison with colorimetric method (Earle and Cullen) 583
Copper:
Hemocyanin of *Limulus polyphemus* (Redfield, Coolidge, and Shotts), 185
Oxygen and, combining ratio, bloods containing hemocyanin (Redfield, Coolidge, and Montgomery) 197
Coprophagy:
Nutrition factor (Kennedy and Palmer) 607
Coral:
Iodine in, gorgonian (Sugimoto) 723
Cottonseed:
Proteins, digestibility (Gallup) 43
Creatinine:
Blood, nature (Gaebler and Keltch) 337
Crystallization:
Arginine (Vickery and Leavenworth) 701
Histidine (Vickery and Leavenworth) 701
Lysine (Vickery and Leavenworth) 437

D

Dextrose:
Levulose and, simultaneous enteral administration, galactose tolerance, effect (Corley) 31
Diet:
Arginine-devoid, growth on (Bunney and Rose) 521
Calcium, magnesium, and phosphorus, variations in proportions (Haag and Palmer) 367
Fat, animal body, relation to quality (Anderson and Mendel) 729
Fertility, requirements. XIII (Sure) 659
—, —. XIV (Sure) 673
—, —. XV (Sure) 685
Gastrointestinal contents, hydrogen ion concentration, relation (Grayzel and Miller) 423
Lactation, requirements. XIII (Sure) 659
—, —. XIV (Sure) 673
—, —. XV (Sure) 685
Magnesium, calcium, and phosphorus, variations in proportions (Haag and Palmer) 367
Nitrogen-free, thyroxin effect on nitrogen metabolism following (Deuel, Sandiford, Sandiford, and Boothby) 407
—, — — — respiratory metabolism following (Deuel, Sandiford, Sandiford, and Boothby) 407
Phosphorus, calcium, and magnesium, variations in proportions (Haag and Palmer) 367
Protein-free, heat production, effect (Deuel, Sandiford, Sandiford, and Boothby) 391

Diet—*continued:*
Protein-free, urine nitrogen partition products, effect (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Synthetic, yeast fraction supplement (KENNEDY and PALMER) 591
—, — supplement (KENNEDY and PALMER) 591
Yeast fraction supplement, synthetic (KENNEDY and PALMER) 591
— supplement, synthetic (KENNEDY and PALMER) 591

Digestion:
Proteins of cottonseed products (GALLUP) 43

Dihydroxyacetone:
Blood, quantitative estimation (McCLELLAN) 481
Insulin influence on utilization (CORI and CORI) 755
Urine, quantitative estimation (McCLELLAN) 481

Diuretic:
Purine, inorganic phosphates of blood, influence (BOLLIGER) 797
—, — — — urine, influence (BOLLIGER) 797

E

Edestin:
Bases (VICKERY and LEAVENWORTH) 707

Electrode:
Barium amalgam, in solutions of amphoteric substances (KIRK and SCHMIDT) 115
Hydrogen, comparison with colorimetric method (EARLE and CULLEN) 583
—, — — quinhydrone electrode (EARLE and CULLEN) 583
Quinhydrone, blood plasma, hydrogen ion determination, accuracy (CULLEN and EARLE) 565
—, — serum, hydrogen ion determination, accuracy (CULLEN and EARLE) 565
—, comparison with colorimetric method (EARLE and CULLEN) 583
—, — — hydrogen electrode (EARLE and CULLEN) 583
Sodium amalgam, in solutions of amphoteric substances (KIRK and SCHMIDT) 115

Electrodialysis:
Tuberculin. VIII (SEIBERT and HANKE) 535

Electrolysis:
Gutzeit apparatus, modified, arsenic estimation in biological material (OSTERBERG) 19

Epinephrine:
Sugar formation from fatty acids, depancreatized dog injected with (CHAIKOFF and WEBER) 813

Equilibration:
Carbon dioxide, surface tension of serum, effect, (JOHLIN) 559
Equilibrium:
Calcium, cod liver oil effect (HART, TOURTELLOTTE, and HEYL) 143
—, irradiation effect (HART, TOURTELLOTTE, and HEYL) 143
Hemoglobin oxidation to methemoglobin, spectrophotometric study (CONANT and SCOTT) 207
Methemoglobin, hemoglobin oxidation to, spectrophotometric study (CONANT and SCOTT) 207
Ethylmethyl carbinol:
Ethylpropyl carbinol, configurational relationship (LEVENE and HALLER) 415
Ethylpropyl carbinol:
Ethylmethyl carbinol, configurational relationship (LEVENE and HALLER) 415
Excretion:
Urinary, chlorides and water, carbon dioxide overbreathing and breathing high concentrations, effect (SIMPSON and WELLS) 171

F

Fasting:
Blood changes, food- and water-deprived puppies (PUCHER) 319
Urine changes, food- and water-deprived puppies (PUCHER) 319
Fat:
Animal body, diet relation to quality produced (ANDERSON and MENDEL) 729
Diet relation to quality produced (ANDERSON and MENDEL) 729
Metabolism. I (McCLURE and HUNTSINGER) 1
Milk, protein surrounding globules (TITUS, SOMMER, and HART) 237
-soluble vitamin for lactation, storage (SURE) 659
See also Cholesterol, Sterol, Lipid.
Fatty acid(s):
Sugar formation from, depancreatized dog epinephrine-injected (CHAIKOFF and WEBER) 813
Fertility:
Dietary requirements. XIII (SURE) 659
— —. XIV (SURE) 673
— —. XV (SURE) 685
Fish:
Blood concentration, marine (HALL) 623
Folin-Wu:
Carbohydrate reduction, comparative values by Hagedorn-Jensen, Benedict-Myers, and (PUCHER and FINCH) 331
Food:
Growth requirements. III (KENNEDY and PALMER) 591

Food—*continued:*
Growth requirements. IV (KENNEDY and PALMER) 607
Foodstuff:
Blood lipid, influence (MCCLURE and HUNTSINGER) 1
Fructose:
Insulin influence on utilization (CORI and CORI) 755

G

Galactose:
Tolerance, dextrose and levulose, simultaneous enteral administration, effect (CORLEY) 31
Gastrointestinal tract:
Hydrogen ion concentration of contents, diet and rickets, relation (GRAYZEL and MILLER) 423
Glucose:
Insulin influence on utilization (CORI and CORI) 755
Pentabenzoates (LEVENE and MEYER) 513
Glutamic acid:
Nutrition, relation (BUNNEY and ROSE) 521

Gorgonia cavolinii:
Iodine in (SUGIMOTO) 723
Gossypol:
II. (CLARK) 229
D, Carruth's, nature (CLARK) 229
Growth:
Arginine-devoid diets (BUNNEY and ROSE) 521
Growth—*continued:*
Diets, arginine-devoid (BUNNEY and ROSE) 521
Food requirements. III (KENNEDY and PALMER) 591
— —. IV (KENNEDY and PALMER) 607
Gutzeit:
Electrolytic apparatus, modified, arsenic estimation in biological material (OSTERBERG) 19

H

Hagedorn-Jensen:
Carbohydrate reduction, comparative values by Benedict-Myers, Folin-Wu, and (PUCHER and FINCH) 331
Heat:
Protein-free diet effect on production (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Hemocyanin:
Copper and oxygen combining ratio in bloods containing (REDFIELD, COOLIDGE, and MONTGOMERY) 197
— content, *Limulus polyphemus* (REDFIELD, COOLIDGE, and SHOTTS) 185
Molecular weight, *Limulus polyphemus* (REDFIELD, COOLIDGE, and SHOTTS) 185
Oxygen and copper combining ratio in bloods containing (REDFIELD, COOLIDGE, and MONTGOMERY) 197

Hemoglobin:
Oxidation to methemoglobin, spectrophotometric study (CONANT and SCOTT) 207

Histidine:
Crystallization (VICKERY and LEAVENWORTH) 701

Hydrogen:
Electrode, comparison with colorimetric method (EARLE and CULLEN) 583
—, — — quinhydrone electrode (EARLE and CULLEN) 583
Ion concentration, blood cell volume changes, (DILL) 543
— —, — plasma, quinhydrone electrode for determining, accuracy (CULLEN and EARLE) 565
— —, — serum, quinhydrone electrode for determining, accuracy (CULLEN and EARLE) 565
— —, gastrointestinal contents, diet and rickets, relation (GRAYZEL and MILLER) 423
— determination, blood. I (CULLEN and EARLE) 565
— —, —. II (EARLE and CULLEN) 583

Hydroquinone:
(HUSTON and LIGHTBODY) 547

3-Hydroxyvaleric acid:
Lactic acid, configurational relationship (LEVENE and HALLER) 415

Hyperglycemia:
Sodium arsenite, subcutaneous injection, production (UNDERHILL and DIMICK) 163

I

Infant:
Mortality, inefficiency of lactating rat in secreting vitamin B in milk, relation (SURE) 685

Inorganic:
Metabolism, phlorhizin influence (KASTLER) 643
Phosphates of blood, purine diuretic influence (BOLLIGER) 797
— — urine, purine diuretic influence (BOLLIGER) 797

Insulin:
Dihydroxyacetone utilization, influence (CORI and CORI) 755
Fructose utilization, influence (CORI and CORI) 755
Glucose utilization, influence (CORI and CORI) 755

Intestine:
Dextrose and levulose, simultaneous enteral administration, effect on galactose tolerance (CORLEY) 31

Iodine:
Coral, gorgonian (SUGIMOTO) 723

Ion:
Hydrogen, blood, determination. I (CULLEN and EARLE) 565
—, —, —. II (EARLE and CULLEN) 583

Ion—*continued:*
Hydrogen, concentration, blood cell volume changes (DILL) 543
—, —, — plasma, quinhydrone electrode for determining, accuracy (CULLEN and EARLE) 565
—, —, — serum, quinhydrone electrode for determining, accuracy (CULLEN and EARLE) 565
—, —, gastrointestinal contents, diet and rickets, relation (GRAYZEL and MILLER) 423
Irradiation:
Calcium balance, effect (HART, TOURTELLOTTE, and HEYL) 143

J

Joint effusion:
Synovial fluid, chemical composition (CAJORI and PEMBERTON) 471

K

Ketopiperazine:
Alkali action (LEVENE and STEIGER) 299

L

Lactation:
Dietary requirements. XIII (SURE) 659
— —. XIV (SURE) 673
— —. XV (SURE) 685
Vitamin B in milk, inefficiency of lactating rat in secreting, relation to infant mortality (SURE) 685
Lactation—*continued:*
Vitamin B requirement (EVANS and BURR) 263
— — —, quantitative biological method (SURE) 673
—, fat-soluble, storage for (SURE) 659
Lactic acid:
3-Hydroxyvaleric acid, configurational relationship (LEVENE and HALLER) 415
Muscle, mammalian, resting, content (DAVENPORT and DAVENPORT) 651
Sugar solutions decomposed by alkali, determination (FRIEDEMANN) 75
Lactose:
Metabolism. III (CORLEY) 31
Levulose:
Dextrose and, simultaneous enteral administration, galactose tolerance, effect (CORLEY) 31
Light:
Plant vitamin synthesis affected by source (HELLER) 499
Vitamin synthesis in plants affected by source (HELLER) 499
Limulus polyphemus:
Hemocyanin, copper content and minimal molecular weight (REDFIELD, COOLIDGE, and SHOTTS) 185
Lipid:
Blood, foodstuff influence (MCCLURE and HUNTSINGER) 1
Liver tissue. I (THEIS) 107

Liver:
Beef, lipid distribution (THEIS) 107
Lipid. I (THEIS) 107
Lysine:
Crystallization (VICKERY and LEAVENWORTH) 437

M

Magnesium:
Diet, variations in proportions of calcium, phosphorus, and (HAAG and PALMER) 367
Metabolism:
Calcium in rickets (SHOHL and BENNETT) 633
Cholesterol, spleen relation (RANDLES and KNUDSON) 89
—, suprarenal gland relation (RANDLES and KNUDSON) 89
Fat. I (MCCLURE and HUNTSINGER) 1
Inorganic, phlorhizin influence (KASTLER) 643
Lactose. III (CORLEY) 31
Nitrogen, thyroxin effect, following prolonged nitrogen-free diet (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
Pentose. II (CORLEY) 23
Phosphorus in rickets (SHOHL and BENNETT) 633
Respiratory, thyroxin effect, following prolonged nitrogen-free diet (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
Methemoglobin:
Hemoglobin oxidation to, spectrophotometric study (CONANT and SCOTT) 207
Method for determining (CONANT, SCOTT, and DOUGLASS) 223
Milk:
Fat globules, protein surrounding (TITUS, SOMMER, and HART) 237
Protein surrounding fat globules (TITUS, SOMMER, and HART) 237
Vitamin B secretion in, inefficiency of lactating rat, relation to infant mortality (SURE) 685
Molecular weight:
Hemocyanin of *Limulus polyphemus* (REDFIELD, COOLIDGE, and SHOTTS) 185
Mortality:
Infant, inefficiency of lactating rat in secreting vitamin B in milk, relation (SURE) 685
Mus norvegicus albinus:
Lactating mother, milk vitamin B secretion inefficiency, relation to infant mortality (SURE) 685
Vitamin B in milk, inefficiency of lactating mother in secreting, relation to infant mortality (SURE) 685
Muscle:
Lactic acid content, resting mammalian (DAVENPORT and DAVENPORT) 651

Muscle—*continued:*
Work, endogenous catabolism of tissues, effect (MITCHELL and KRUGER) 55

N

Nitrogen:
Diet lacking, thyroxin effect on nitrogen metabolism following (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
— —, — — on respiratory metabolism following (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
Metabolism, thyroxin effect, following prolonged nitrogen-free diet (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
Minimum (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Urine, partition products, protein-free diet effect (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Nucleotide:
Adenine, blood content, micro method for determination (BUELL and PERKINS) 95
Nutrition:
Aspartic acid relation (BUNNEY and ROSE) 521
Coprophagy, factor (KENNEDY and PALMER) 607
Glutamic acid relation (BUNNEY and ROSE) 521

O

Oxidation:
Hemoglobin to methemoglobin, spectrophotometric study (CONANT and SCOTT) 207
Methemoglobin from hemoglobin, spectrophotometric study (CONANT and SCOTT) 207
Oxygen:
Copper and, combining ratio, bloods containing hemocyanin (REDFIELD, COOLIDGE, and MONTGOMERY) 197

P

Pancreatectomy:
Sugar formation from fatty acids, epinephrine-injected dogs (CHAIKOFF and WEBER) 813
Paralysis:
Suckling young of vitamin E-deprived mothers (EVANS and BURR) 273
Vitamin E-deprived mothers, in suckling young of (EVANS and BURR) 273
Pentabenzoates:
Glucose (LEVENE and MEYER) 513
Pentose:
Metabolism. II (CORLEY) 23
Peptide:
Alkali action (LEVENE and STEIGER) 299
Phenols:
Biochemical relations. I (HUSTON and LIGHTBODY) 547

Phlorhizin:
Metabolism, inorganic, influence (KASTLER) 643

Phosphate:
Blood, inorganic, purine diuretic influence (BOLLIGER) 797
Inorganic, blood, purine diuretic influence (BOLLIGER) 797
—, urine, purine diuretic influence (BOLLIGER) 797
Urine, inorganic, purine diuretic influence (BOLLIGER) 797

Phosphorus:
Diet, variations in proportions of calcium, magnesium, and (HAAG and PALMER) 367
Metabolism in rickets (SHOHL and BENNETT) 633

Plant:
Vitamin synthesis, light source effect (HELLER) 499

Plasma:
Blood, hydrogen ion concentration, quinhydrone electrode accuracy for determining (CULLEN and EARLE) 565

Protein:
Amino acids, basic, determination (VICKERY and LEAVENWORTH) 707
Basic amino acids, determination (VICKERY and LEAVENWORTH) 707
Blood, respiratory. I (REDFIELD, COOLIDGE, and SHOTTS) 185

Protein—*continued:*
Blood, respiratory. II (REDFIELD, COOLIDGE, and MONTGOMERY) 197
Cottonseed, digestibility (GALLUP) 43
Diet lacking, heat production, effect (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
— —, urine partition products, effect (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Milk, surrounding fat globules (TITUS, SOMMER, and HART) 237
Respiratory, blood. I (REDFIELD, COOLIDGE, and SHOTTS) 185
—, —. II (REDFIELD, COOLIDGE, and MONTGOMERY) 197

Purine:
Diuretics, inorganic phosphates of blood, influence (BOLLIGER) 797
—, — — — urine, influence (BOLLIGER) 797

Q

Quinhydrone:
Electrode, blood plasma, hydrogen ion determination, accuracy (CULLEN and EARLE) 565
—, — serum, hydrogen ion determination, accuracy (CULLEN and EARLE) 565
—, comparison with colorimetric method (EARLE and CULLEN) 583
—, — — hydrogen electrode (EARLE and CULLEN) 583

R

Racemization:
VI (LEVENE and STEIGER) 299

Reduction:
Carbohydrate, comparative values by Hagedorn-Jensen, Benedict-Myers, and Folin-Wu methods (PUCHER and FINCH) 331

Reproduction:
See also Fertility.

Respiration:
Blood protein. I (REDFIELD, COOLIDGE, and SHOTTS) 185
— —. II (REDFIELD, COOLIDGE, and MONTGOMERY) 197
Metabolism, thyroxin effect, following prolonged nitrogen-free diet (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
Protein, blood. I (REDFIELD, COOLIDGE, and SHOTTS) 185
—, —. II (REDFIELD, COOLIDGE, and MONTGOMERY) 197

Rickets:
(SHOHL and BENNETT) 633
Antiricketic substances. VII (BILLS, HONEYWELL, and MACNAIR) 251
Gastrointestinal tract contents, hydrogen ion concentration, relation (GRAYZEL and MILLER) 423

S

Secretion:
Vitamin B in milk of lactating rat, inefficiency, relation to infant mortality (SURE) 685

Serum:
Blood, hydrogen ion concentration, quinhydrone electrode accuracy for determining (CULLEN and EARLE) 565
Carbon dioxide equilibration effect upon surface tension (JOHLIN) 559
Surface tension, carbon dioxide equilibration, effect (JOHLIN) 559

Sodium:
Amalgam electrodes in solutions of amphoteric substances, behavior (KIRK and SCHMIDT) 115

Sodium arsenite:
Hyperglycemia production, injected subcutaneously (UNDERHILL and DIMICK) 163

Sodium fluoride:
Thymol and, urea determination by urease method, influence (OSTERBERG and SCHMIDT) 749
Urea determination by urease method, influence of thymol and (OSTERBERG and SCHMIDT) 749
Urease method for urea determination, influence of thymol and (OSTERBERG and SCHMIDT) 749

Solution:
Amphoteric substances, sodium and barium amalgam electrode behavior in (KIRK and SCHMIDT) 115
Sugar, alkali-decomposed, lactic acid determination (FRIEDEMANN) 75
Spectrophotometry:
Equilibria involving oxidation of hemoglobin to methemoglobin (CONANT and SCOTT) 207
Hemoglobin oxidation to methemoglobin (CONANT and SCOTT) 207
Methemoglobin, hemoglobin oxidation to (CONANT and SCOTT) 207
Spectroscopy:
Cholesterol, purified (BILLS, HONEYWELL, and MACNAIR) 251
Spleen:
Cholesterol metabolism, relation (RANDLES and KNUDSON) 89
Sterols:
Allophanates (TANGE and MCCOLLUM) 445
Sugar:
Animal body, fate. VIII (CORI and CORI) 755
Blood. II (BENEDICT) 457
Fatty acids, depancreatized dog injected with epinephrine, formation (CHAIKOFF and WEBER) 813
Lactic acid determination in solutions of, decomposed by alkali (FRIEDEMANN) 75
Suprarenal gland:
Cholesterol metabolism, relation (RANDLES and KNUDSON) 89
Surface tension:
Carbon dioxide equilibration, effect in serum (JOHLIN) 559
Serum, carbon dioxide equilibration, effect (JOHLIN) 559
Synovial fluid:
Joint effusion, chemical composition (CAJORI and PEMBERTON) 471

T

Tetramethyl-γ-methylmannoside:
(LEVENE and MEYER) 809
Thymol:
Sodium fluoride and, urea determination by urease method, influence (OSTERBERG and SCHMIDT) 749
Urea determination by urease method, influence of sodium fluoride and (OSTERBERG and SCHMIDT) 749
Urease method for urea determination, influence of sodium fluoride and (OSTERBERG and SCHMIDT) 749
Thyroxin:
Nitrogen metabolism, effect following prolonged nitrogen-free diet (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407

Thyroxin—*continued:*
Respiratory metabolism, effect following prolonged nitrogen-free diet (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 407
Tissue:
Catabolism, endogenous, muscular work, effect (MITCHELL and KRUGER) 55
Liver, lipid distribution. I (THEIS) 107
Tolerance:
Galactose, dextrose and levulose, simultaneous enteral administration, effect (CORLEY) 31
Tuberculin:
Electrodialysis. VIII (SEIBERT and HANKE) 535

U

Urea:
Sodium fluoride and thymol influence on determination by urease method (OSTERBERG and SCHMIDT) 749
Thymol and sodium fluoride influence on determination by urease method (OSTERBERG and SCHMIDT) 749
Urease method for determination, sodium fluoride and thymol influence (OSTERBERG and SCHMIDT) 749
Urease:
Crystalline. II (SUMNER and HAND) 149
Urease—*continued.*
Urea determination, sodium fluoride and thymol influence (OSTERBERG and SCHMIDT) 749
Urine:
Chloride excretion, carbon dioxide overbreathing and breathing high concentrations, effect (SIMPSON and WELLS) 171
Dihydroxyacetone, quantitative estimation (MCCLELLAN) 481
Food- and water-deprived puppies, changes (PUCHER) 319
Nitrogen partition products, protein-free diet effect (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Phosphate, inorganic, purine diuretic influence (BOLLIGER) 797
Protein-free diet, nitrogen partition products of (DEUEL, SANDIFORD, SANDIFORD, and BOOTHBY) 391
Water excretion, carbon dioxide overbreathing and breathing high concentrations, effect (SIMPSON and WELLS) 171
Urolithiasis:
Vitamin A deficiency (VAN LEERSUM) 137

V

Vitamin(s):
A deficiency and urolithiasis (VAN LEERSUM) 137

Vitamin(s)—*continued:*
B complex, two active factors. II (SALMON, GUERRANT, and HAYS) 487
— in milk, inefficiency of lactating rat in secreting, relation to infant mortality (SURE) 685
—, lactation requirement (EVANS and BURR) 263
—, — —, quantitative biological method (SURE) 673
E, mothers deprived of, paralysis in suckling young (EVANS and BURR) 273
Fat-soluble, storage for lactation (SURE) 659
Plant, synthesis, light source effect (HELLER) 499
Synthesis, plant, light source effect (HELLER) 499

Volume:
Blood cell, changes, function of hydrogen ion concentration (DILL) 543

W

Water:
-deprived and food-deprived puppies, blood and urine changes (PUCHER) 319
Urinary excretion, carbon dioxide overbreathing and breathing high concentrations, effect (SIMPSON and WELLS) 171

Work:
Muscular, endogenous catabolism of tissues, effect (MITCHELL and KRUGER) 55

X

d-**Xylose:**
Disposal, factors affecting (CORLEY) 23

Y

Yeast:
Fractions, synthetic ration supplement (KENNEDY and PALMER) 591
Synthetic ration supplement (KENNEDY and PALMER) 591

ST. LOUIS PUBLIC LIBRARY
SEP
8
1928